



NOTE:

1. LIMIT CHANGES IN BASE ELEVATION TO 10" PER STEP TO AVOID DIFFERENTIAL SETTLEMENT
2. STEP ONLY OFTEN ENOUGH TO AVOID BURYING EXTRA UNITS WHILE MAINTAINING REQUIRED EMBEDMENT
3. ALWAYS START WALL CONSTRUCTION AT ITS LOWEST LEVEL AND WORK UPWARD
4. FOR EASE OF INSTALLATION, USE VERSA-LOK STANDARD UNITS FOR THE BASE COURSE

BASE STEPPING DETAIL

SCALE: NONE

NOT FOR CONSTRUCTION

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK STANDARD UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.



**VERSA-LOK®**  
Retaining Wall Systems  
*Solid Solutions™*

(800)770-4525 fax(651)770-4089  
6348 Hwy36 Ste1, Oakdale,MN 55128

VERSA-LOK MOSAIC DETAILS

MOSAIC BASE STEPPING

SCALE:	AS NOTED
DRAWN BY:	PPS
CHECKED BY:	
DATE:	10/03
DWG. NO.	R18 MOSAIC BASE STEPPING